

JSW JLM 220-MG Magnesium Thixomolding machine KK1669, used



manufacturer :
JSW

Product number:
KK1669

Description

Thixomolding machine

Manufacturer

JSW

Model

JLM 220-MG

Control system

Year of Manufacture

1999

Comments

for magnesium die casting

technical data

<u>Clamping force</u>	2160 kN
Srew diameter	66 mm
Distanz between tir bars	580 x 580 mm
Mold thickness	230 - 500 mm
Injection capacity	1042 g
Opening strocke	550 mm
Shot Volume	459 cm ³
Screw diameter	51 mm
Injection pressure	102 MPa

Accessories

<u>Spraying machine</u>	available
Manufacturer	Acheson
Model	FCT - Control
Year	2000

<u>Foundry robot</u>	available
Manufacturer	Reis
Model	RV6
Year	2000

<u>Suction conveyor for granulate</u>	available
Manufacturer	Motan

Suction conveyor for granulate	available
Model	HLB
Year	
Protective gas station	available
Manufacturer	Messer
Model	
Year	
Hinged plate conveyor	available
Manufacturer	Axmann
Model	D 100
Year	2002
Suction system	available
Manufacturer	KMA
Model	UV 4000 II UVR/EW4
Year	05/2000
Delivery time	immediately
Price	on request



